

Dotworkz D Series Enclosures & Accessories

D2						
Model	Standard	Heater & Blower	Tornado	Ring of Fire	COOLDOME™	
Ordering Codes	D2-BASE	D2-HB-MVP D2-HB-SOLAR	D2-TR-MVP	D2-RF-MVP	D2-CD D2-CD-24V	
MSRP	\$322	\$549 / \$564	\$610	\$749	\$1,097 / \$1,197	
Description	D2 provides heavy-duty protection to PTZ cameras from the rigors of outdoor exposure, vandalism and physical damage. Designed for indoor vandal protection.	Heater & Blower is ideal in weather conditions ranging from 30F (-1°C) to 95F (35°C). Designed for the cold, warm temperate climates.	Tornado provides high flow circulation around the camera and sensitive hardware, reducing hotspot buildup. Designed for humid, wet and warm climates.	Popular "Ring of Fire" heating and de-icing system prevents cameras from damage and visual impairments. Designed for cold, icy climates.	COOLDOME™ Active Cooling system engineered for hot climate where shutdown or damage due to heat is possible. Protects camera and other components.	
Power / MVP (Multi Volt Platform)	N/A	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC* / 12VDC	
Weight	9lbs	12lbs	12lbs	12lbs	15lbs	
Dimensions	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"	17" x 13" x 16"	
D3 (60% larger)						
Model	Standard	Heater & Blower	Tornado	Ring of Fire	COOLDOME™	XERO
Ordering Codes	D3-BASE	D3-HB-MVP D3-HB-SOLAR	D3-TR-MVP	D3-RF-MVP	D3-CD	D3-XERO D3-XERO-XL
MSRP	\$599	\$849 / \$864	\$879	\$1,029	\$1,530	\$3,499 / \$3,899
Description	D2 provides heavy-duty protection to PTZ cameras from the rigors of outdoor exposure, vandalism and physical damage. Designed for indoor vandal protection.	Heater & Blower is ideal in weather conditions ranging from 30F (-1°C) to 95F (35°C). Designed for cold, warm temperate climates.	Tornado provides high flow circulation around the camera and sensitive hardware, reducing hotspot buildup. Designed for humid, wet and warm climates.	Popular "Ring of Fire" Heating and de-icing system prevents cameras from damage and visual impairments. Designed for cold, icy climates.	Dual Tower COOLDOME™ thermoelectric Active Cooling for installations that require heat damage protection. Engineered for the world's hottest locations.	XERO "open platform" IP video recording system with Windows OS embedded (requires software) complete D3 enclosure with Twin COOLDOME™ combo.
Power / MVP (Multi Volt Platform)	N/A	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC* / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC* / 12VDC
Weight	10lbs	13lbs	13lbs	13lbs	16lbs	19lbs / 20lbs
Dimensions	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"	22" x 13" x 16"

D Series Suggested Accessories

NVR Modules



XERO NVR Module
NVR-XERO

XERO XL NVR Module
NVR-XERO-XL

More info on page 3

Lens Kit & Replacement



Optically Pure Replacement Kit
KT-CLNS / KT-TNLS

Vandal Tough Lens Kit
KT-CLNS-VT / KT-TNLS-VT

More info on page 4

Mounting Brackets & Kits



Accessory component bracket
BR-ACC1



Pole mount adapter
BR-MPM1



Corner mount bracket
BR-CNR1



Adjustable Parapet mount bracket
BR-APM1



Parapet bracket
BR-PSA1



Strobe Light kit
KT-STBB

More info on page 4

Dome Cleaner









Dome cleaning package
DW-PKG1

More info on page 4

More Info at www.dotworkz.com - or call 866-575-4689


All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product. (*optional step up required)
1 Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.
2 Dimensions are shipping boxes sizes and may have slight variations.

Dotworkz S-Type Series Enclosures & Accessories

S-Type			
			
		Available in LC and MVP version	
Model	Standard	Heater & Blower	Solar Heater & Blower
Ordering Codes	ST-BASE	ST-HB-MVP / ST-HB-LC	ST-HB-SOLAR
MSRP	\$199	\$449 / Call for price	\$549
Description	The S-Type outdoor camera protection system is designed for all brands of traditional "brick" or static cameras. The S-Type housing utilizes all the features of our popular D-Series products into a complete air/water tight system solution for today's sensitive CCTV, megapixel, HDTV or other long body cameras.	Two models S-Type Heater & Blower: "contract / low cost" or our premium MVP version for cost effective temperate climate protection while offering the same features of our popular "extreme" climate kits. The ST-HB models feature IP67 rated, non metallic / non corrosive, airtight outdoor camera protection solution.	The Solar S-Type Heater & Blower is the most versatile solar application outdoor housing/camera protection system on the market. To combat the cold, the unit's low wattage ring goes around the camera for direct heating. The blower remains on at all times, keeping cameras cool and fog free.
Power / MVP (Multi Volt Platform)	N/A	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC
Weight	13lbs	13lbs	16lbs
Dimensions	24" x 14" x 10"	24" x 14" x 10"	24" x 14" x 10"
S-Type			
			
Model	Tornado	Ring of Fire	COOLDOME™
Ordering Codes	ST-TR-MVP	ST-RF-MVP	ST-CD / ST-CD-24V
MSRP	\$499	\$639	\$789 / \$889
Description	The S-Type Tornado features two high flow internal fans to dissipate internal heat build up. The ST-TR environmental kit has been engineered for hot, humid marine or coastal locales, featuring a non metallic/non corrosive, impact resistant, airtight, water tight system IP67 solution for cameras of all brands and sizes.	The S-Type Ring of Fire was designed for camera protection in the coldest and wettest climates. The Ring of Fire features a 360° de-icing system to ensure camera lens visibility and internal camera/component longevity. The ST-RF features IP67 protection levels, non metallic airtight, water tight solution.	The Actively Cooled S-Type COOLDOME™ is a complete airtight, water tight IP67 rated solution for CCTV, megapixel, HDTV or other long body sensitive cameras with room for wireless radios, cellular routers, encoders and NVR devices by reducing internal damaging heat buildup. Designed for the world's toughest and hottest climates.
Power / MVP (Multi Volt Platform)	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 24VAC/VDC output: 24VDC / 12VDC	input: 220/110VAC, 12VDC / 24VDC output: 12VDC / 24VDC
Weight	16lbs	16lbs	19lbs
Dimensions	24" x 14" x 10"	24" x 14" x 10"	24" x 14" x 10"

S-Type Bracket Options & Suggested Accessories

Bracket Options



WindProof Heavy Duty Arm
(standard for ST-TR, ST-RF and ST-CD models; upgrade for ST-BASE and ST-HB)
BR-STWP



Wonder Arm
(standard for ST-BASE and ST-HB)
BR-STWA

Suggested Accessories



S-Type COOLDOME™ outdoor PS
KT-CDR-ST



Humidity Removal Pack
KT-HRC1

More info on page 4

Dome Cleaner



Dome cleaning package
DW-PKG1

More info on page 4

NVR Module



XERO S-Type NVR Module
NVR-XERO-ST

Coming soon!

More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product.
1 Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.
2 Dimensions are shipping boxes sizes and may have slight variations.

Dotworkz NVR Line

NVR Line



Model	D3-XERO	D3-XERO-XL	ST-XERO
Ordering Codes	D3-XERO	D3-XERO-XL	ST-XERO
Name	D3 COOLDOME™ and 500GB XERO Module IP Edge Recorder combo	D3 COOLDOME™ and 1TB XERO Module IP Edge Recorder combo	S-Type COOLDOME™ and XERO Module IP Edge Recorder combo
MSRP	\$3,499	\$3,899	Coming soon!
Size	500GB	1TB	500GB
OS	Windows Embedded	Windows Embedded	Windows Embedded
Weight	19lbs	20lbs	13lbs
Dimensions ²	22" x 13" x 16"	22" x 13" x 16"	24" x 10" x 10"

NVR ControlAPP Interface

All servers include our pre-installed ControlAPP Resource Software and advanced technical support from our staff to ensure simple, seamless and successful video surveillance recording.



ControlAPP home screen



ControlAPPVMS screen

NVR Line Suggested Accessories

Power Pack



enclosure sold separately

KT-CDR3
D3 XERO Outdoor Power Pack Pole Mount Kit - protects outdoor power supply.

More info on page 4

Integration Kits



KT-XERO
XERO Integration Kit for installing XERO IP Edge Recorder inside the D Series.

More info on page 4

NVR Line



- Windows Server OS
- IP Software ready



Small

Medium

Large

X-Large



Model	XERO Module	XERO XL Module	1TB IP Recorder	2TB IP Recorder	3TB IP Recorder	4TB IP Recorder	5TB BOP IP Recorder	8TB BOP IP Recorder	12TB BOP IP Recorder
Ordering Codes	NVR-XERO	NVR-XERO-XL	NVR-1TB-SMALL	NVR-2TB-MED	NVR-3TB-LARGE	NVR-4TB-XLARGE	NVR-5TB-BOP	NVR-8TB-BOP	NVR-12TB-BOP
Name	XERO Module Edge Recorder 500GB, Windows Embedded, Intel Atom	XERO Module Edge Recorder 1TB, Windows Embedded, Intel Atom	IP Recorder Small 1TB 1U with Windows Server 2008 just add recording software	IP Recorder Med 2TB 1U with Windows Server 2008 just add recording software	IP Recorder Large 3TB 1U with Windows Server 2008 just add recording software	IP Recorder XLarge 4TB 1U with Windows Server 2008 just add recording software	BOP IP Recorder Small: "Bay of Plenty" 12 bays of expansion 5TB 2U System	BOP IP Recorder Large: "Bay of Plenty" 12 bays of expansion 8TB 2U System	BOP IP Recorder XLarge: "Bay of Plenty" 12 bays of expansion 12TB 2U System
MSRP	\$1,269	\$1,669	\$4,198	\$4,498	\$4,798	\$5,098	\$8,498	Call for price	Call for price
Size	500GB	1TB	1TB	2TB	3TB	4TB	5TB	8TB	12TB
OS	Windows Embedded	Windows Embedded	Windows Server 2008	Windows Server 2008	Windows Server 2008	Windows Server 2008	Windows Server 2008	Windows Server 2008	Windows Server 2008
Form Factor	-	-	1U	1U	1U	1U	2U	2U	2U
Weight	2.5lbs	3lbs	36lbs	37lbs	38lbs	39lbs	68lbs	74lbs	80lbs
Dimensions ²	10" x 11" x 8"	10" x 11" x 8"	34" x 27" x 12"	34" x 27" x 12"	34" x 27" x 12"	34" x 27" x 12"	35" x 27" x 12"	35" x 27" x 12"	35" x 27" x 12"

More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product.

¹ Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

² Dimensions are shipping boxes sizes and may have slight variations.

Dotworkz Accessories

Model	BR-MPM1	BR-MPM1-AC	BR-MPM2	BR-ACC1	BR-ACC2	BR-CNR1	BR-PSA1	BR-APM1	BR-ECB1	BR-STWP	BR-2CSM
MSRP	\$62	\$44	\$84	\$39	\$42	\$102	\$565	\$629	\$459	\$117	Call for price
Weight	2lbs	2lbs	3lbs	1lbs	1lbs	3lbs	17lbs	13lbs	7lbs	4lbs	235lbs
Dimensions	8" x 8" x 3"	9" x 9" x 3"	12" x 7" x 5"	10" x 7" x 3"	14" x 4" x 4"	12" x 8" x 9"	46" x 18" x 5"	N/A	N/A	15" x 6" x 6"	N/A

Model	NVR-XERO	NVR-XERO-XL	NVR-XERO-ST	KT-XERO	KT-CDR2	KT-CDR3	KT-CDR-ST	KT-WACC-HV	KT-WACC-LV	KT-STBB	KT-HRC1
MSRP	\$1,269	\$1,669	TBA	\$299	\$289	\$392	\$289	\$163	\$163	\$269	\$28
Weight	2.5lbs	3lbs	2lbs	N/A	13lbs	15lbs	N/A	2lbs	3lbs	3lbs	1lbs
Dimensions	11" x 10" x 7"	11" x 10" x 7"	(5" x 5" x 5") <small>*estimate only</small>	N/A	12" x 7" x 5"	12" x 7" x 5"	N/A	10" x 7" x 3"	10" x 7" x 3"	N/A	8" x 4" x 4"

Model	DW-PKG1	DW-CLNR	DW-3MIT	DW-SLTN	DW-EP30	DW-RPCK	DW-RPCK-12	KT-CLNS	KT-TLNS	KT-CLNS-VT	KT-TLNS-VT
MSRP	\$340	\$60	\$42	\$11	\$227	\$692	\$669	\$102	\$102	\$102	\$102
Weight	10lbs	1lbs	1lbs	1lbs	1lbs	12lbs	12lbs	1lbs	1lbs	1lbs	1lbs
Dimensions	84" x 7" x 7"	18" x 4" x 4"	8" x 8" x 4"	8" x 8" x 4"	84" x 7" x 7"	21" x 10" x 10"	21" x 10" x 10"	9" x 9" x 7"	9" x 9" x 7"	9" x 9" x 7"	9" x 9" x 7"

More Info at www.dotworkz.com - or call 866-575-4689

All information subject to change without prior notification. Some photos are for visualization purposes and don't reflect the exact product.
 1 Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.
 2 Dimensions are shipping boxes sizes and may have slight variations.